GENERAL INDEX TO VOLUME 15, 1978

(New names are indicated by **boldface** type, synonyms by *italics*)

Aboimisalis 326
Acanthophthirius 182
Acaridei 267
Acari 21–25, 35–42, 50–51, 81–83, 143–54, 180–82, 214, 218–34, 265–71, 272–73, 533–36, 570–71
acaricide, see pesticide
Acarophilaceae 314
Acomatacarus *hirsti* 143
longipes 149
Aedes 32, 116, 135, 239, 280, 515, 542, 575
abserratus 135, 278
albopictus 315, 324, 469
aegypti ... 15–17, 32–35, 47, 79, 87, 97, 109–14, 115–21, 235–37, 239, 243, 256, 259–64, 282–85, 306, 324, 469, 514, 516, 526, 549, 568, 571–72
atlanticus 469
atropalpus 15, 74, 80, 469
campestris 17
canadensis . 84–85, 93, 135, 141–42, 254, 278, 469
cantator 135–36, 141–42
cinereus 135, 469
communis 135, 469
cooki 74
dorsalis 469
dupreei 469
epactius 469
excrucians 84–85, 135, 278
flavescens 469
fulvus pallens 469
hexodontus 17
infirmatus 469
japonicus 469
mitchellae 469
nigromaculis 89, 469
niveus 573–75
novoniveus 574
pionips 469
polynesiensis 17, 74, 77, 80, 469
pseudoniveus 574
pseudoscutellaris 74, 80
punctor 135–36
scutellaris 469
scutellaris complex 73–80
sierrensis 469
sollicitans .. 84–85, 141, 468, 514–15
sp. 74, 80
spencerii 469
sticticus 93, 244, 469
stimulans 84–85, 93, 278
subniveus 574
taeniorhynchus ... 468, 514, 526–28
thibaulti 469
togoi 469
tormentor 469
trichurus 469
triseriatus 15, 89–98, 469, 517, 570–71
trivittatus 93
vexans .. 17–20, 84–85, 93, 141, 469
Aeroglyphus 270
allergy 138
Alveonasus 359–60
Amblyomma 81, 371–72, 376
americanum 83, 133
gemma 83, 373
hebraeum 81–83, 354, 373
lepidum 83, 373
maculatum 82–83, 518
marmoreum 83
nuttalli 373
variegatum ... 81, 83, 327, 336, 340, 354, 367–70, 373
Amphipsylla neotomae 132
Anaphlebotomus 289
Anaplasma 330
marginale 338
Androlaelaps casalis 428, 430
fahrenholzi 133, 425, 428–30
Anomiopsyllus congruens 455–56
nudatus 132
Anopheles 47, 174, 529, 551
albimanus 469
atropos 469
barberi 469
bradleyi 469
crucians 99–102, 293, 469, 514–15, 529–32
coustani 568
farauti 555–69
franciscanus 469
freeborni 278–79, 469
funestus 560, 564, 567–68
gambiae ... 101, 155, 298, 469, 560, 564, 567–68
gambiae group 297–99
implexus 101
maculipennis complex 462, 465
melas 297, 299, 568
merus 297, 299
minimus flavirostris 564
pseudopunctipennis pseudopunctipennis 469
punctipennis 278–81, 469
punctulatus 555–56
quadrimaculatus 242, 279, 305, 469, 526, 568
sinensis 469
squamosis? 469
stephensi 238, 469
walkeri 135, 142
anopheline 278, 280
Anoplura 510–13, 576
Anthonomus grandis 55
anthrax 543
Antricola 341
Aplodontopus sciuricola 429–30
Apodemopus 267
Aponomma 329
Araneae 570–71
arbovirus, see virus
Argas ... 57–73, 157–65, 246–52, 341, 365, 445, 450
arboreus 324, 445, 450
cucumerinus 57–73, 160, 249
dalei 57, 70–71, 160, 249
dulus 57, 66, 71–72, 249
japonicus 445, 450
keys to subgenus Argas in Neotropics 246
macrostigmatus 72
magnus .. 57, 66–67, 72, 157–65, 249
miniatus 570
monachus 57, 66, 69–70, 249
moreli 246–52
neghmei ... 57, 66, 68–69, 160, 165, 249
persicus 249, 317, 326, 328, 341, 355–56, 359, 370, 374, 570
reflexus 160
var. magnus 157
sp. 1 67–68
status of subgenus Argas in Neotropics 57
Argasidae 57–73, 81, 157–65, 212, 214, 246–52, 324, 326, 328, 341, 356, 359, 445–51, 570–71, 576
Armigeres subalbatus 469
arrenurid 99
Arrenurus 99–100
pseudotenuicollis 99, 529
Arthropodophilaceae 314
Arthropodophiliales 314
Ascodipteron spp. 211, 214
Ascoschoengastia 533
accola 533
goilala 533
indigena 536
maculata 553
melanesiana 536
sepikensis 533, 536
sp. 213
attractants 124
Atylotus 301
Atyphloceras multidentatus .. 455, 457
Austroglycyphagus 270
Austrosimulium 170–73
bancrofti 173
magnum 171
mirabile 171
montanum 171
pestilens 171, 173
autogeny 183
genetics of 73
Babesia ... 329–30, 335, 337, 340, 539
bigemina 338
canis 339
cervi 539
equi 340
microti 218, 537–40
spp. 538
babesiosis 218–34, 376
description of vector 218
epizootiology 537
bacillus, plague 1
bacteria 32, 185, 316
bee, honey 91, 138
beetle 42, 289
Mexican bean 56
black death 358, 379
Blomia 270

GENERAL INDEX TO VOLUME 15, 1978

(New names are indicated by **boldface** type, synonyms by *italics*)

Aboimisalis 326
Acanthophthirius 182
Acaridei 267
Acari 21–25, 35–42, 50–51, 81–83, 143–54, 180–82, 214, 218–34, 265–71, 272–73, 533–36, 570–71
acaricide, see pesticide
Acarophilaceae 314
Acomatacarus *hirsti* 143
longipes 149
Aedes 32, 116, 135, 239, 280, 515, 542, 575
abserratus 135, 278
albopictus 315, 324, 469
aegypti ... 15–17, 32–35, 47, 79, 87, 97, 109–14, 115–21, 235–37, 239, 243, 256, 259–64, 282–85, 306, 324, 469, 514, 516, 526, 549, 568, 571–72
atlanticus 469
atropalpus 15, 74, 80, 469
campestris 17
canadensis . 84–85, 93, 135, 141–42, 254, 278, 469
cantator 135–36, 141–42
cinereus 135, 469
communis 135, 469
cooki 74
dorsalis 469
dupreei 469
epactius 469
excrucians 84–85, 135, 278
flavescens 469
fulvus pallens 469
hexodontus 17
infirmatus 469
japonicus 469
mitchellae 469
nigromaculis 89, 469
niveus 573–75
novoniveus 574
pionips 469
polynesiensis 17, 74, 77, 80, 469
pseudoniveus 574
pseudoscutellaris 74, 80
punctor 135–36
scutellaris 469
scutellaris complex 73–80
sierrensis 469
sollicitans .. 84–85, 141, 468, 514–15
sp. 74, 80
spencerii 469
sticticus 93, 244, 469
stimulans 84–85, 93, 278
subniveus 574
taeniorhynchus ... 468, 514, 526–28
thibaulti 469
togoi 469
tormentor 469
trichurus 469
triseriatus 15, 89–98, 469, 517, 570–71
trivittatus 93
vexans .. 17–20, 84–85, 93, 141, 469
Aeroglyphus 270
allergy 138
Alveonasus 359–60
Amblyomma 81, 371–72, 376
americanum 83, 133
gemma 83, 373
hebraeum 81–83, 354, 373
lepidum 83, 373
maculatum 82–83, 518
marmoreum 83
nuttalli 373
variegatum ... 81, 83, 327, 336, 340, 354, 367–70, 373
Amphipsylla neotomae 132
Anaphlebotomus 289
Anaplasma 330
marginale 338
Androlaelaps casalis 428, 430
fahrenholzi 133, 425, 428–30
Anomiopsyllus congruens 455–56
nudatus 132
Anopheles 47, 174, 529, 551
albimanus 469
atropos 469
barberi 469
bradleyi 469
crucians 99–102, 293, 469, 514–15, 529–32
coustani 568
farauti 555–69
franciscanus 469
freeborni 278–79, 469
funestus 560, 564, 567–68
gambiae ... 101, 155, 298, 469, 560, 564, 567–68
gambiae group 297–99
implexus 101
maculipennis complex 462, 465
melas 297, 299, 568
merus 297, 299
minimus flavirostris 564
pseudopunctipennis pseudopunctipennis 469
punctipennis 278–81, 469
punctulatus 555–56
quadrimaculatus 242, 279, 305, 469, 526, 568
sinensis 469
squamosis? 469
stephensi 238, 469
walkeri 135, 142
anopheline 278, 280
Anoplura 510–13, 576
Anthonomus grandis 55
anthrax 543
Antricola 341
Aplodontopus sciuricola 429–30
Apodemopus 267
Aponomma 329
Araneae 570–71
arbovirus, see virus
Argas ... 57–73, 157–65, 246–52, 341, 365, 445, 450
arboreus 324, 445, 450
cucumerinus 57–73, 160, 249
dalei 57, 70–71, 160, 249
dulus 57, 66, 71–72, 249
japonicus 445, 450
keys to subgenus Argas in Neotropics 246
macrostigmatus 72
magnus .. 57, 66–67, 72, 157–65, 249
miniatus 570
monachus 57, 66, 69–70, 249
moreli 246–52
neghmei ... 57, 66, 68–69, 160, 165, 249
persicus 249, 317, 326, 328, 341, 355–56, 359, 370, 374, 570
reflexus 160
var. magnus 157
sp. 1 67–68
status of subgenus Argas in Neotropics 57
Argasidae 57–73, 81, 157–65, 212, 214, 246–52, 324, 326, 328, 341, 356, 359, 445–51, 570–71, 576
Armigeres subalbatus 469
arrenurid 99
Arrenurus 99–100
pseudotenuicollis 99, 529
Arthropodophilaceae 314
Arthropodophiliales 314
Ascodipteron spp. 211, 214
Ascoschoengastia 533
accola 533
goilala 533
indigena 536
maculata 553
melanesiana 536
sepikensis 533, 536
sp. 213
attractants 124
Atylotus 301
Atyphloceras multidentatus .. 455, 457
Austroglycyphagus 270
Austrosimulium 170–73
bancrofti 173
magnum 171
mirabile 171
montanum 171
pestilens 171, 173
autogeny 183
genetics of 73
Babesia ... 329–30, 335, 337, 340, 539
bigemina 338
canis 339
cervi 539
equi 340
microti 218, 537–40
spp. 538
babesiosis 218–34, 376
description of vector 218
epizootiology 537
bacillus, plague 1
bacteria 32, 185, 316
bee, honey 91, 138
beetle 42, 289
Mexican bean 56
black death 358, 379
Blomia 270

blood meal, heme content 445
size 235, 514
weight 445
bollworm, pink 108
bombyliid 185
Boophilus 328–29, 365, 376, 378, 383, 397, 570
annulatus 326–27, 329–31, 354–57, 359, 361, 368–69
calcaratus 326–27, 329
decoloratus .. 327, 329–30, 340, 367
geigyi 330, 340
kohlsi 329
microplus ... 212, 214–15, 314, 326, 329–30, 366
Boophthora 174
Brachycera 542
Brugia 31
pahangi 174
Bunyaviridae 312, 314–15, 329, 331–32, 335–40
Bunyavirus 314–15
Calliphoridae .. 52–56, 85–86, 103–08, 124–31, 459–61, 472–83, 484–89, 488–93, 518–20
chemosterilants 459
"Capillarotoxicosis, acute infectious" 344
Cediopsylla inaequalis 455
simplex 216, 425, 428–29
Ceratophyllidae 1–10, 304
Ceratopogonidae 43–49, 302–03, 324, 419–24, 494–99, 500–05, 542
Chaetopsylla lotoris 425, 428
Chaoboridae 47
Chalcidoidea 25–30
chemomutagen
acridine orange 32–35
ethyl methanesulfonate 115–21
thiotepa 32, 34, 115–21
chemosterilant
thiourea 459
cheyletid 132
Cheyletus eruditus 132
chigger 50, 132, 143, 272, 425, 428–29, 533–36
key to subgenus Guntheria 21
new species ... 21, 50, 143, 272, 533
Chimaeropsylla 214
Chirodiscidae 180–82
Chironomidae 46
Chlamydia sp. 340
Chloropidae 541, 576
Chortoglyphus 270
Chrysomya 459
megacephala 549–61
Chrysops 138, 178
atlanticus 178, 526–28
flavidus 526–27
fuliginosus 176–79
mlokosiewiczi 542
niger 178
silacea 542
vittatus 551
Chrysopsini 177
Cicadellidae 10
Cochliomyia hominivorax 52, 85, 103, 115, 124–31, 472–83, 484–87, 488–93, 518
Coelidiinae 10
Coleoptera 42, 55, 306
Coquillettidia perturbans 142
Corethrella 47
Corynoneura 47
Cowdria ruminantum 340
Coxiella burneti 335, 337–40
Cnephia 171, 174, 184
dacotensis 171, 173–74
eremites 171, 173
invenusta 171–73
mutata 171, 173
tonnoiri orientalis 171–72
Cryptomyopus 267, 269–70
zachvatkini 269–70
Ctenocephalides canis 426
felis 428–30, 455, 457
Ctenoglyphinae 265–71
Ctenoglyphus 265–71
atanasovi 270
bulanovae 270
canestrinii 269
claviglis 268
cricetomys 268
deomys 268
eliomys 268
evansi 269–70
guppei 265–66, 269
heterocephali 268
kivuensis 268
lukoschusi 268
multifoliatus 269–70
myospalacis 269–70
palmifer 269–70
persicus 270–71
plumiger 267, 269–71
rodentorum 268
sciuri 268
shoutedeni 267, 270
Ctenophthalmus agyrtes nobilis ... 457
pseudagyrtes 428, 430
Culex 174, 462, 465, 521–25, 542, 575
annulus 469
atratus 521, 524
cedecei 521
conspirator 469
coronator 469
decens 469
erraticus 469, 523–24
fuscanus 469
fuscocephalus 469
ingrami 469
iolambdis 521, 523–24
mulrennani 521, 524
nigripalpus 239–45, 293–94, 296, 469, 524, 575–76
opisthopus 521–24
peccator 523–24
perfuscus 469
pilosus 293–94, 521–24
pipiens 74, 80, 262–67, 551
fatigans 115, 119, 155–56, 506–09
molestus 470
pallens 280, 470, 542
pipiens 253, 257, 470
quinquefasciatus 243, 253, 257, 468
pipiens complex 155
quinquefasciatus 575–76
restuans 254–56, 278, 470
rubithoracis 470
salinarius 141, 253, 470
tarsalis 253, 256–57, 462, 466, 470, 575
territans 254–56, 278, 470
tritaeniorhynchus summorosus .. 470
Culicidae 15–20, 32–35, 73–80, 87, 89–98, 99–102, 109–14, 115–21, 134–37, 155–56, 235–38, 239–45, 253–58, 259–64, 278–81, 282–85, 292–96, 297–99, 305–06, 462–67, 506–09, 514–17, 521–25, 529–32, 542, 555–69, 573–76
culicine 47
Culicoides 43–49, 313, 324, 367, 419–24, 494–98, 500–03, 549, 551
accraensis 422
adersi 422
africanus 422
albovenosus 422
arenarius 422
austeni 422
babrius 420
barbosai 498
bedfordi 422
bisolis 46
brucei 420
bwambanus 422
ciliodentatus 421
citroneus 422
congolensis 45
cornutus 421
dekeyseri 421
distinctipennis 421
dubitatus 420, 422
eriodendroni 422
expectator 422
fulvithorax 420
furens 43, 45–47, 419, 494–99, 500–05
gambiae 422
giganteus 422
glabripennis 422
sp. nr glabripennis 421
grahami 421
gulbenkiani 149, 421, 423
guttipennis 498
hirtius 420
hirtsutus 422
hollensis 46, 494–99, 500–05
hortensis 422
host attraction 494
hylas group 46
imicola 420
impunctatus 502
inornatipennis 422
isiolensis 420, 422
kaimosiensis 422
kanagai 422
kerichoensis 420, 422
kibatiensis 420, 422
kingi 422
latifrons 422
magnus 421
milnei 420
moreli 422
neavei 422
nivosus 419, 421, 423
nubeculosus 551
ovalis 422
pallidipennis 420
parvulus 422

punctithorax ... 422
pycnostictus ... 420–21
quinquelineatus ... 422
rhizophorensis ... 422
sanguisuga ... 498
sensory organs and host preference ... 419
shultzei group ... 420–21
similis ... 422
similis group ... 45
stercorarius ... 422
suction trap collections ... 500
sylvicola ... 422
terminology of antennal sensory organs ... 43
translucens ... 422
tororoensis ... 423
trifasciellus ... 419–20, 422
tropicalis ... 419–21, 423
variipennis ... 302–03, 500
vitshumbiensis ... 422
xanifer ... 45
zuluensis ... 420
Culiseta ... 280, 542, 575
inornata ... 470, 575–76
melanura ... 253–58, 470, 524, 572
morsitans dyari ... 142
Cuterebra fontinella ... 573
Cuterebridae ... 573
Cyclorrhapha ... 542
cytoplasmic incompatibility ... 155
Dactylopsylla bluei ... 455–56
Deinocerites pseudes ... 470
dengue ... 573–74
Dermacarus hylandi ... 429–30
hypudaei ... 132, 428–30
Dermacentor ... 314, 326, 329, 332–33, 337, 342, 365, 376, 378
albipictus ... 538
americanum ... 538
andersoni ... 324, 570
daghestanicus ... 326, 337, 356, 361–62
nuttalli ... 265
marginatus ... 317–19, 321, 324–26, 333, 337, 342–43, 345, 350–51, 354, 356, 359, 375, 383, 386, 391, 393
parumapertus ... 133
variabilis ... 133, 428–29, 538–39
Dermatophagoides ... 35–42
farinae ... 35–37
pteronyssinus ... 35–37
Diamanus montanus ... 304, 455–57
Diamesa ... 47
Diamesoglyphus ... 267, 270
hispidus ... 269
hughesi ... 269
intermedius ... 268, 270
karpathicus ... 269
machadoi ... 271
setosus ... 268
tadzikistanicus ... 268
tauricus ... 268
ventralis ... 267
zachvatkini ... 269
Diatrea saccharalis ... 28
Digineus ... 326
Diptera ... 15–20, 32–35, 43–49, 52–56, 73–80, 85–87, 89–98, 99–131, 138–39, 155–56, 166–75, 176–79, 183–85, 235–38, 239–45, 253–58, 259–64, 274–77, 278–81, 282–85, 286–91, 292–96, 297–99, 300–01, 302–03, 305–06, 324, 419–24, 459–61, 462–67, 472–83, 484–87, 488–93, 494–99, 500–05, 506–09, 514–17, 518–20, 521–25, 526–28, 529–32, 541–54, 555–69, 573–75, 575–76
Dirofilaria immitis ... 84–85, 305–06
infections in mosquitoes ... 84, 305
repens ... 85
tenuis ... 85
dirofilariasis ... 305
disease, Chagas' ... 25–26
"Crimean endemic" ... 343
Kyasanur Forest ... 376
Dolichopsyllidae ... 455
Drosophila ... 115, 119, 213
melanogaster ... 107–08, 115, 119, 472
Echidnophaga ... 188, 214
gallinacea ... 132, 188, 212, 214, 455–56
oshanini ... 188, 214
echidnophagid ... 211
ectoparasites, Carnivora ... 425
Ringtail ... 132
ectromelia, intestinal viral ... 379
Ehrlichia canis ... 339
ehrlichiosis, canine ... 339
encephalitides, North American ... 462
encephalitis, Saint Louis ... 462
Encyrtidae ... 25–30
Enterobacter ... 122
Epitedia wenmanni ... 428, 430
Epilachna varivestis ... 56
Eratyrus ... 27
mucronatus ... 26, 28
Eucheyletia hardyi ... 132
Euhoplopsyllus glacialis affinis ... 132
Euschoengastia eadsi ... 132
peromysci ... 429–30
sp. ... 213
Eusimulium ... 174, 183–84
dacotense ... 173
Eutrombicula alfreddugesi ... 430
Fannia canicularis ... 300
fever, boutonneuse ... 335, 339
"Bukovinian hemorrhagic" ... 342–43, 346
Central Asian hemorrhagic ... 358
Crimean-Congo hemorrhagic ... 307–417
epidemiology ... 307
East Coast ... 376
Lassa ... 368
"Malignant Crimean" ... 343
Omsk hemorrhagic ... 379
Phlebotomus ... 379
Rocky Mountain spotted ... 338–39
sand fly ... 379
Texas ... 338
Uzbekistan ... 358
yellow ... 571
filariasis ... 31, 86, 134, 574
bancroftian ... 31
Finlaya ... 573–75
flavivirus, see virus
flea ... 1–9, 132, 211–12, 214, 216, 304, 425, 428–29, 431, 452–53, 455–57
bionomics ... 1
cat ... 428
European rabbit ... 216
host response to feeding behavior ... 187
new subspecies ... 431
pika ... 214
pulicid ... 214
raccoon ... 428
sand ... 187
squirrel ... 1–10
sticktight ... 188
tree squirrel ... 428
tungid ... 187–217
fly ... 29, 124, 174, 184–85, 211, 302–03, 459–60, 503, 526, 541, 576
bat ... 541, 549
black ... 166–75, 183–84, 526–28, 549–51
autogeny ... 183
labro-cibrarial sensilla and armature ... 166
repellents ... 526
cabbage root ... 130
deer ... 138, 176–79, 526–27
reproductive biology ... 176
face ... 300
horn ... 300, 541, 552
horse ... 138–39, 301, 551
house ... 55–56, 107, 300–01, 472, 481–82
JH analogues against ... 300
little house ... 300
louse ... 541, 549
pomace ... 115
salt marsh deer ... 176–79
sand ... 286–91, 551, 576
screwworm ... 52–56, 85–86, 103–08, 115, 124–31, 427, 474, 479–81, 484–86, 488–93, 518–19
snipe ... 138–39
stable ... 55–56, 125, 166, 274–77, 300, 526–28, 541–54, 548–49
feeding methods ... 274
feeding studies ... 541
hematophagy ... 541
streblid ... 214
Francisella tularensis ... 337–38
fungicide, see pesticide
fungus ... 185
Galleria mellonella ... 570
gerrid ... 213
Glossina ... 550
brevipalpis ... 543
morsitans ... 543
pallidipes ... 543
tachinoides ... 543
Glossinidae ... 541, 576
Glycyborus ... 269
glycyphagid ... 265, 267, 269–70
Glycyphagidae ... 265–71, 426
Glycyphagus ... 270
gnat ... 495
eye ... 482, 486, 541
Gnus ... 174
Gohieria ... 270
gonotrophic dissociation ... 278
growth regulators ... 506
Guntherana ... 21

ornamentata 21–22, 24
pannosa 21, 24
parana 21–22, 24
Guntheria 21–25, 50
cowanensis 24
ditrichia 24
heterotrichia 24
hoxieae 24
inflata 21–24
Güntheria 21
Gymnopais 184
holopticus 169, 172–73
Haemaphysalis 314, 320, 342, 365, 376
concinna 324
erinacei 318
turanica 362
leporispalustris 133, 538
punctata 326, 336–37, 342–43, 345–46, 351, 354, 362, 370, 372, 385, 391, 393
Haematobia irritans 300, 552
stimulans 549
Haematopota pallens 542
pluvialis 542
Haemogamasus kitanoi 265
liponyssoides 426
reidi 426
Haemorrhagogenes tchumakovi .. 314, 325
heartworm, dog 84–85
Hectopsylla 214
Hectopsyllidae 455
hematophagy, genetics of 73
prior to hibernation 278
Hemiptera 25–30, 55
Hippelates collusor 472, 486, 492
pallipes 549
Hippoboscidae 541, 576
Hirstionyssus breviseta 133
staffordi 133, 428–30
sp. nr staffordi 430
utahensis 428, 430
Homoptera 10
Hoplopleura erratica 429–30
Hoplopleuridae 510–13
Hoplopsyllus anomalus ... 304, 455–57
foxi 455
Hunterellus hookeri 231
Hyalomma 313, 320, 326–29, 331–35, 345, 356, 359–60, 365–67, 370–74, 378, 387, 389, 397
anatolicum ... 331–32, 355, 357–62, 364, 389
anatolicum 314, 316, 320–21, 324, 326–27, 330–32, 356–59, 361, 363–67, 369, 383, 389, 393
excavatum 331–32, 357, 364–65, 389
asiaticum ... 215, 332, 357, 359, 393
asiaticum 318–20, 322, 326, 328, 337–38, 356–59, 361–62
detritum ... 326–27, 330–32, 355–62
dromedarii 357–58, 368
excavatum 367
impeltatum 327, 339–40, 367, 369–70, 373, 386
impressum 327, 334, 339, 367
marginatum 332, 334–35, 371, 376, 383, 393
isaaci 332, 335–36, 366
marginatum 314, 316–21, 323, 332–34, 337–38, 342–56, 370–72, 375, 377–79, 383, 388–89, 391–95
rufipes 81, 314, 316, 321, 325–26, 332, 334–35, 367–71, 373
turanicum 326, 332, 334–35, 356–57, 359, 361–62, 364, 370–71, 389
marginatum complex .. 328, 332, 335
nitidum 327, 339–40, 368, 370
plumbeum 332
plumbeum 326–27, 362
savignyi 345
scupense 328, 346, 351, 355, 361–62
truncatum ... 327, 340, 367, 369–70
Hybomitra peculiaris 542
Hylemya brassicae 130
Hymenoptera 570
Hypoaspis leviculus 430
Hystrichopsylla 434
dippiei 431, 434, 442
linsdalei 431, 434, 442
occidentalis 431, 434–35
linsdalei 431, 434–35, 439, 442, 444
occidentalis 431, 434–35, 439, 442, 444
sylvaticus .. 431, 435, 438, 442, 444
occidentalis group 431–44
Hystrichopsyllidae 431–44, 455
Idiophlebotomus 289
insecticide, see pesticide
Ixodes 218–34, 314, 328, 342, 354, 365, 372–73, 378
angustua 133
arboricola 370–71
conepati 133
cookei 133, 425, 428–30
dammini 218–34, 537–39
gibbosus 336
kingi 133
muris 223–24, 229
persulcatus 336, 392
putus 11
redikorzevi 314
ricinus 215, 326, 328, 336, 342–43, 346, 354–55, 370–72, 374, 383, 386
rubidus 133
scapularis 218, 223–25, 229, 231–32, 537–39
texanus 133, 428–29
uriae 11–13
ixodid, Dammin's northeastern deer 218–23
Ixodidae 63, 81–83, 188, 214–15, 218–34, 324, 326–28, 330, 338, 341, 356, 359, 362, 385
Ixodoidea 57–73, 157–65, 246–52, 445–51, 570, 576
juvenile hormone 300
kala azar 290
karak halak 358, 379
khungribta 358, 379
khunymuny 358, 379
Klebsiella 122
Lactobacillus 122
Laelapidae 426
Laelaps alaskensis 429–30
kochi 426
multispinosa 429–30
Lamellicauda 327
leafhopper 10
Leeuwenhoekia *hirsti* 143
Leeuwenhoekiinae 50, 143
leishmaniasis 86, 286
Leogonius 143
Lepidoglyphus 270
Lepidoptera .. 28, 46–47, 55, 306, 570
lepidopteran 55
leprosy 86
Leptopsylla segnis 456
leptospirosis 379
Leptotrombicula sp. 213
Limnogonus fossarum 213
Listrophoridae 426
Listrophoroidea 180–82
Listrophorus mexicanus 429–30
Lophioglyphus 267
Lophuromyopinae 267
Lophuromyopus 270
louse 1, 132–33, 311, 425, 428–29, 510–13
new species 510
Lutzomyia 290, 542
longipalpis 551
Lynxacarus 429
mustelae 428–29
nearcticus 428–30
Lyperosia irritans 552
Macronyssidae 180, 426
malacopsyllid 214
Malaraeus sinomus 132
telchinum 455–57
malaria 86, 134, 280, 368, 379, 567, 574
Plasmodium falciparum 557
Plasmodium vivax 557
turkey 239
Mallophaga 429, 576
Mansonia dyari 470
perturbans 93, 135–36
fuscopennata 531
leberi 470
uniformis 470
Margaropus 329
Marsupialichus brasiliensis 430
Megaselia 122
scalaris 122
Melanoconion 521–25
mermithid 185, 468
Metomphalus 174
microfilaremia 31
microhymenoptera 25–30
midge 367, 494, 500
biting 43–49
mite 35–41, 132, 180, 214, 266, 271, 289, 306, 425, 428–29, 576
bakerocoptid 216
fur, description of ♂ 180
glycyphagid 269
house dust 35–42
occurrence during heating season 35
laelapid 425
listrophorid 425, 428
myobiid 216
new species 265

notoedrid 216
teinocoptid 216
trombiculid 213
water 99–102, 529–32
detachment from mosquitoes .. 99
mortality in mosquitoes 529
Miyatrombicula jonesae 430
Monopsyllus wagneri 455, 457
mosquito 15–17, 32–34, 47, 73–74, 79, 84–85, 87, 89, 91, 93, 94, 97–102, 109, 115–20, 134–36, 139–42, 155, 166, 174, 177, 235–39, 242–44, 253–57, 260, 264, 274, 278–80, 282–85, 287, 292–96, 298, 305–06, 315, 323–24, 338, 396, 462, 465–66, 468–71, 506, 514–17, 521–25, 526–28, 529–32, 549, 551–52, 555–56, 567–68, 571–72, 573–74, 575
acridine orange effects 32
age-grading 555
attraction to CO_2 traps 140, 292
autogeny 73
biochemical key to An. gambiae group 297
bionomics 239
blood meal size 235, 514
chemomutagens 32, 115
depressed hatching and short pupal period 87
gamma ray irradiation 155
gonotrophic dissociation 278
growth-regulating compound against 506
gynandromorphs 575
hematophagy 73, 278, 462, 514, 521
hibernation 278, 462
host-seeking activity 134, 282, 292, 521
marking techniques 239
nematode parasites of 468
ovarian development 462
oviposition stimulus 17
parity 140
population dynamics 89
pupae, buoyancy in 15
1st abdominal spiracles 109
ventral air space functions 109
sperm transfer 259
staining of salivary glands 571
substrate texture 17
vector competence 253
moth 47
cabbage looper 48
wax 570
Musca autumnalis 130, 300, 492
domestica 55, 105, 459–60, 472, 481, 492
vetustissima 472
Muscidae 274–77, 300–01, 541–54, 543, 576
mutillid 185
myiasis 122–23, 573
Myobiidae 180
Myocoptes japonensis 429–30
Myocoptidae 426
Nematocera 542
nematode 84–85, 137, 185, 468–71
Neohaematopinus sciuri 428, 430
sciuropteri 1–2
Neoschoengastia kallipygos .. 21–22, 24
Neotrichodectes interrupto-fasciatus 429
mephitidis 429
minutus 428–29
octomaculatus 429
thoracicus 132–33
Neotrombicula spp. 213
Neotrombidiinae 289
Neotrombidium 289
Neotrombicula lipovskyi 430
microti 430
whartoni 428–30
Neotunga euloidea 214
Nephila 185
nephrosonephritis, hemorrhagic 346, 379
Neuroptera 570
Nosopsyllus fasciatus 456
Nothoaspis 341
Nycteribiidae 541
Odagmia 174
ornata 542
Odontacarus 50–51, 143–54
athertonensis 144–46, 152, 154
australiensis 143–44, 154
echidnus 152–53
longipes 143, 149
mccullochi 143, 147–49, 154
nadchatrami 149, 154
novaguinea 143, 149, 153–54
riannae 150–54
trisetosus 153–54
tuberculatis 50
unicus 50
ziegleri 153–54
Odontopsyllus multispinosus 428
Olabidocarpus americanus 180–82
Onchocerca volvulus 174
onchocerciasis 31, 174
Ooencyrtus trinidadensis venatorius 25–30
Orchopeas howardi 1–10, 428
leucopus 132, 428, 430
nepos 132
sexdentatus 132, 455, 457
Ornithodoros 341, 365, 445–51, 570–71
coriaceus 570–71
lahorensis 359–60
moubata 570
papillipes 445
savignyi 445–51, 571
sp. 327, 335
tartakovskyi 362
tholozani 445, 449–50
Ornithonyssus bacoti 426
wernecki 428, 430
Oropsylla arctomys 428
Orthopodomyia 575
signifera 470
Otobius 341
pancytopenia, tropical canine 339
Panstrongylus 27
chinai 25
geniculatus 26
herreri 25
megistus 25
Pantropiaceae 314
Pantropiales 314
Pantropus tchumakovi 314
parasite, filarial 31
Paratheresia claripalpis 28
Paraxerus palliatus 513
Parrotomyia 289
Pasteurella pestis 379
Pavlovskyella 445
Pectinophora gossypiella 108
Peptostreptococcus 122
Peromyscopsylla ravalliensis 455–56
Persicargas ... 249, 324, 326, 328, 341, 445, 450
pesticide, see also chemomutagen, chemosterilant, repellent 134, 184, 304, 350, 363, 392–94
carbaryl 393
chlorophos 350, 393–94
DDT 394
diflubenzuron 52–56
Dipterex 394
Dylox 394
griseofulvin 52
Neguvon 394
pyrethrin 392
Sevin 393
TH-6040 506–09
tricholophoron 394
trichlorfon 393
Tugon 394
pheromones, assembly 81
Phidippus rimator 570–71
Phlebotominae 576
phlebotomine 286–91
Phlebotomus 47, 286, 290, 542
argentipes 286, 290
frondifer 289
stantoni 286
orientalis 542
papatasi 542
Phoridae 122–23
myiasis 122
Phormia regina 492
plague 1, 376, 379
sylvatic 452–58
Plasmodium falciparum 557
hermani 239
vivax 557, 564
poliomyelitis 543
Polygenis gwyni 132
Polylopadium 50
Proctotrupoidea 25–30
Prosimulium 172–74, 184
alpestre 172–73
fuscum 172–73
gibsoni 172
mixtum 172–73, 526–27
Prostigmata 180
Protomacleaya 89
Psammolestes arthuri 25
Pseudoschoengastia apista 132
Psilozia 174
Psorophora ciliata 470
columbiae 293, 470
confinnis 293
cyanescens 470
discolor 470
ferox 84–85, 470
horrida 470
howardii 470
mathesoni 470
Psychodidae 47, 286–91, 542

Pteracarus
completus completus 180
completus vrzai 180
Pulex irritans 132
simulans 132, 455–56
Pulicidae 304, 455
purpura, hemorrhagic 365
Pygmephorus designatus 430
Pyralidoidea 28
Pyroglyphidae 35–42
Reduviidae 25–30
Reesimermis nielseni 468
repellent, see also pesticide 526
AI3-22542 527
AI3-30180 527–28
AI3-35765 527–28
AI3-35770 527–28
AI3-36326 527–28
AI3-36536 527–28
AI3-70087 527–28
carbolic acid 391
creolin 391
Deet 391, 527–28
Deta 391
dibutylamide of valerianic acid .. 391
diethylamide 391
diethyl toluamide 391
HECC 527–28
kerosene 391–92
P-320 391
polychlorpinen 391
SK9 391
terpenol 391
Reoviridae 329, 331, 335–36, 338
Rhagionidae 138–39, 542
Rhipicephalus 320, 326, 329, 332–33, 357, 365, 376, 378
appendiculatus 81, 368
bursa 326, 328, 330–31, 346, 354–57, 386
evertsi evertsi 81, 369
pravus 369
pulchellus 327–28, 336, 340–41, 369, 386
pumilio 326, 332, 338, 356–57, 359, 361, 386
rossicus 317–19, 321, 325–26, 333, 338, 350–52, 355, 375, 383, 386, 391, 393
sanguineus 212, 214, 216, 326, 338–39, 345–46, 354, 356–58, 369, 389, 570
simus 369
turanicus 318, 326, 331–32, 339, 356–59, 362, 369, 386
Rhodnius 27, 29
neivai 26–27, 29
pictipes 26–27, 29
prolixus 25–29
Rhyncopsylla 214
Rickettsia 345
conori 335, 339–40, 389
prowazekii 1–2, 9
rickettsi 338
siberica 337–38
rickettsiae 1
typhus group 1
RMSF rickettsial complex 339
Rodentopinae 269
Rodentopus 267, 269–70
bathyergicola 269
eliomys 269
folliculorum 269
muris 269–70
persicus 269
sciuri 269
tarsalis 269
Romanomermis culicivorax 468–71
Rondanomyia 289
Salticidae 570–71
Saundersellini 10
Scalopacarus obesus 428, 430
Scelionidae 25–30
schistosomiasis 86
Sciuropsis 267, 269–70
screwworm 52–56, 85–86, 103–08, 115, 124–31, 472–83, 484–87, 488–93, 518–20
attractants 124
control 518
diflubenzuron effect on egg hatch 52
influence of sex ratio on primiparous fertility 85
mating 488
oogenesis 472, 484
sterilization with gamma rays ... 103
Selfia 47
sensory organs 43, 419
Sergentomyia 286, 289–90
barraudi 290
cheongi 281
gemmea 289
gombaki 288–90
hamidi 289
iyengari 289–90
jefferyi 289
knudseni 290
malayae 289–90
pachystoma 289
reidi 290
tambori 289
whartoni 289
Serratia 185
sickness, sweating 340
Simuliidae 160, 165–75, 183–84, 526–28, 542, 576
Simulium 170–74
aureohirtum 183–84
baffinense 184
crassum 184
damnosum 173–74, 542
decorum 170
dycei 170
excisum 170
faheyi 170
kenyae 542
luggeri 170
nigroparvum 542
ochraceum 174
ornatipes 170
ornatum 542
quebecense 170
venustum 170, 173–74, 526–27, 549–50
verecundum 170
vernum 170
vittatum 166–71, 173, 549
vorax 174
Siphonaptera 1–10, 187–217, 304, 431–44, 576
spider 306, 570–71
lycosid 570
predation on ticks 570
Spilopsyllus cuniculi 215–16, 457
Stachiella kingi 429
larseni 428–29
Staphylococcus aureus 122
Steatoda triangulosa 570
Steatonyssus furmani 180
Stegomyia 73–74
Stilbometopa impressa 542
Stomoxyinae 576
Stomoxys 550
calcitrans 55, 125, 274, 300, 526–28, 541–54, 543
Streblidae 541
Strongylini 42
Suricatoecus quadraticeps 425, 429
Symphoromyia 138–39, 542
atripes 138
biting man 138
Tabanidae 139, 166, 176–79, 301, 542, 550–51, 576
Tabanus 301, 550
autumnalis 542
lineola 178
nigrovittatus 178
Tabinini 301
tachinid 28
Tamiophila grandis 430
techniques
age-grading mosquitoes 555
artificial diets 306
CO_2 traps 140
feeding devices 274
gamma ray sterilization 103, 155
hemoglobinometry 235
olfactometer for host-seeking behavior 282
phosphorus-32 marking 239
radioactive tracers for monitoring sperm transfer 259
radiolabeling 1
staining of mosquito salivary glands 571
Telenomus costalimai 25–30
fariai 25
sp. 25
Tenebrionidae 42
Tephritidae 107
Teratothrix 272–73
squarrosa 272
truncata 272–73
Tetisimulium 174
Teutana triangulosa 570
Thagria 10
Thagriini 10
Tharrini 10
Theileria 330, 335, 337, 340
annulata 338
mutans 338, 340
parva 340, 368
velifera 340
Theileriella 327
theileriosis, bovine 393
Theridiidae 570
tick 11–13, 57–58, 62–64, 81–83, 132–33, 212, 215–16, 218, 224, 230–32, 274, 307–417, 425, 428–29, 445–46, 448–89, 537–39, 570, 576
assembly pheromones 81

blood meal ... 445
cattle ... 214
dog ... 539
Gulf Coast ... 518
kennel ... 338
new species ... 218, 246
"pajaroello" ... 570
predators of ... 570
Texas fever ... 329
Tinobregmini ... 10
Togaviridae ... 331–32, 336–39
toxicosis ... 340
Toxorhynchites ... 306
brevipalpis ... 89
rutilus septentrionalis ... 306, 470
Triatoma ... 27
dimidiata ... 25–26
infestans ... 25
maculata ... 25–26, 29
megista ... 25
phyllosoma pallidipennis ... 25–27, 29
rubrovaria ... 25
sordida ... 25
vitticeps ... 25
Triatominae ... 25–30
parasitism of eggs by micro-hymenopterans ... 25
Trichodectes octomaculatus ... 428
Tripteroides bambusa ... 470
Trombicula ... 213
dentata ... 143
Trombiculidae ... 21–25, 50–51, 99, 143–54, 272–73, 533–36
trombidiid ... 289
Trypanosoma theileri ... 340
trypanosomiasis ... 86, 543
tsetse ... 184–85, 238, 541, 543, 549–52, 575
tularemia ... 377
Tunga ... 188, 214
caecata ... 188
caecata group ... 188
caecigena ... 188
callida ... 188
libis ... 188
monositus ... 187–217
penetrans ... 187–88, 191–92, 212–15
sp. ... 187
Tungidae ... 187–217
feeding behavior ... 187
typhus ... 1, 343, 376, 379
scrub ... 574
Siberian tick ... 337–38
tick ... 313, 339
Uranotaenia fusca ... 470
lowii ... 470
sapphirina ... 293, 470
vector competence ... 253
vermipsyllid ... 214
virus ... 11–14, 57, 137, 140, 142, 185, 256–57, 280, 286–87, 289–90, 310, 313–16, 321, 324, 326–27, 329, 331–34, 341, 365, 367, 394–95, 397, 462, 465–67
Bahig ... 314
Baku ... 335
Batken ... 332
Bauline ... 14
Bhanja ... 314, 329, 331–32, 335, 337, 340
blutongue ... 302–03, 423
Bukovinian hemorrhagic fever ... 336
bunyamwera ... 314
California encephalitis ... 89, 280
California group ... 89
Central Asian hemorrhagic fever ... 314
Chenuda subgroup ... 335
Colorado tick fever ... 324, 379, 395
Congo ... 313, 369
Crimean-Congo hemorrhagic fever ... 307–417
Crimean hemorrhagic fever ... 310, 313–14, 344
dengue ... 286
dengue 2 ... 571
dengue 4 ... 256
Dhori ... 332, 337
Dugbe ... 315, 329, 335, 340, 397
Eastern equine encephalomyelitis ... 257
Ebola ... 388
Eyach ... 336
Flanders ... 571
Ganjam ... 315, 397
Great Island ... 14
Hazara ... 314–15, 324, 394, 396
hemorrhagic nephrosonephritis ... 313
Jos ... 329, 340
Kaisodi ... 314
Kemerovo group ... 11–14, 335
Kharagysh ... 336
La Crosse ... 89, 96
Lassa ... 388, 397
Lone Star ... 314
louping ill ... 336
Manawa ... 339
Marburg ... 388
Matruh ... 335
Mykines ... 11–14
Nairobi sheep disease ... 314–15, 340, 397
new serotypes ... 11
phlebotomus fever group ... 286, 290
Q fever ... 335, 337, 379
Quaranfil ... 324
Razdan ... 337
Russian spring–summer encephalitis ... 313, 324, 392
Saint Louis encephalitis ... 239, 467
Seletar ... 329
Somone ... 329
Sunday Canyon ... 314
Tamdy ... 331–32, 338
Tete ... 332, 335
Tete serogroup ... 314
Thogoto ... 314, 329, 331, 340
tick-borne encephalitis ... 332, 336–37, 339, 370
Tindholmur ... 11–14
Tribeč ... 336
unidentified B serogroup ... 335
Uukuniemi ... 314–15, 336
Uzbek ... 358
Uzbekistan hemorrhagic fever ... 314, 358
Venezuelan equine encephalitis ... 521, 524
Wad Medani ... 329, 331, 335, 338, 364
Wanowrie ... 336, 339
Western equine encephalomyelitis ... 253–58, 462
West Nile ... 257, 313, 331–32, 335, 338–39
yellow fever ... 310, 379, 571
Zimmern ... 336
wasp ... 25–29, 184
chalcid ... 231
weevil, boll ... 55–56
Werneckia **africana** ... 510, 513
minuta ... 510, 513
nigeriensis ... 510, 513
paraxeri ... 513
Wilhelmia equina ... 166, 173
Wolbachia sp. ... 340
worm, filarial ... 31, 84–85
Wuchereria ... 31
Wyeomyia smithii ... 470
Xenopsylla cheopis ... 304, 456–57
vexabilis ... 304
Xenoryctes ... 270
latiporus ... 430
yellowjacket ... 138
Yersinia pestis ... 1
Zeadiatrea lineolata ... 28
Zibethacarus ondatrae ... 428–30
zoonosis, rickettsial ... 1

VERTEBRATE INDEX

Aegolius funereus ... 344
albertisii ... 153
Aethomys walambae ... 268
Ailuroedus buccoides ... 153
Alauda arvensis ... 334
Alcidae ... 13
Allactaga euphrata williamsi ... 320, 365
Alticola roylei ... 314
amphibian ... 278, 523
Anas platyrhynchos ... 496
antbear ... 340
anteater, scaly ... 287
antelope ... 328–30, 335, 339–40
Roan ... 340
Saiga ... 335
Anthus campestris campestris ... 372
trivialis ... 370, 372
Aplonis metallica ... 153
Apodemus flavicollis ... 269
sylvaticus ... 319, 351–52, 354
sylvaticus ... 457
argali ... 364
armadillo ... 423
Arvicanthus abyssinicus ... 268, 320
Astrapia mayeri ... 149
stephaniae ... 149
Atelerix ... 317, 368
Athene noctua ... 334, 345, 354
Axis axis axis ... 336
baboon ... 317, 369
Guinea ... 323
Badger ... 425, 429, 453
Bandicoot, Striped ... 24
Bassariscus astutus ... 132–33
bat ... 270, 289–90, 318, 343, 541
Hawaiian Hoary ... 180–82
Large Mouse-eared ... 318, 365
Northern Yellow ... 180
Red ... 180
Bathyergidae ... 271
Bathyergus suillus ... 268
bear ... 538
Malayan sun ... 287
bear cat ... 287
binturong ... 287
bird ... 11, 47, 57, 62–63, 132, 143, 232, 246, 253, 257, 270, 287, 294, 311, 316–20, 324, 328, 330, 332–41, 343–45, 347–49, 351–52, 354–55, 359–61, 363–64, 367, 369–76, 378, 389, 393, 395, 397, 419, 421, 423, 465, 495, 497–98, 521, 523–24
marine ... 57, 72
passerine ... 253
Bird of Paradise, Raggiana ... 153
Blackbird, European ... 354
Blarina brevicauda ... 230
brevicauda aloga ... 227, 232
Boar, Asian Wild ... 336
Wild ... 287, 335
Bobcat ... 425, 452, 455–56
Bobwhite ... 229
Boselaphus tragocamelus ... 336
Bubalus bubalis ... 321
buffalo ... 321, 328–29, 336, 340, 353, 366, 369
African ... 330
Cape ... 330, 335, 340
bulbul ... 287
Bull, Blue ... 336
Burhinus oedicnemus ... 345, 373
bustard ... 330, 335, 340, 345, 370
Greater ... 344–45
buzzard ... 364
Calandrella cinerea ... 345
camel ... 320, 322, 330–31, 335–36, 338–41, 347, 349, 357–58, 361, 365, 367, 369, 371, 445
canid ... 429
Canis latrans ... 426, 453
Capra hircus aegagrus ... 330, 335
Capreolus capreolus ... 330
Caprimulgus europaeus ... 334
carnivore ... 320, 336–40, 344, 361, 425–30, 452–53, 456
cat ... 323, 335, 345, 453, 455–56
domestic ... 230, 278
Pallas' ... 320, 357
Steppe ... 320, 357
Cathartes aura jota ... 63
Cercopithecus aethiops ... 323
patas ... 323
Charadrius dubius ... 334
Chat, Palm ... 72
chicken ... 29, 64, 69, 157, 160, 240, 242–44, 246, 249, 254–57, 292–94, 302, 317, 333, 341, 345, 359, 396, 421, 453, 463, 497–98, 507
Bantam ... 214, 571
White Leghorn ... 495
chipmunk ... 428–29
Eastern ... 230
Chiroptera ... 318
Chital ... 336
Chough, Cornish ... 364
Ciconia ciconia ... 371, 373
Citellus fulvus ... 320, 338, 361
pygmaeus ... 268, 319, 325
civet ... 287
Clethrionomys gapperi ... 434
glareous britannicus ... 457
rutilus ... 434
sp. ... 434
Cnemophilus macgregorii ... 149
cobra ... 287
cockerel ... 254–55, 292
Colinus virginianus ... 229
Columba livia ... 316
Condor ... 63
Coracina caeruleogrisea ... 149
Cormorant ... 62, 72
Corvus corone ... 327
frugilegus frugilegus ... 316, 347, 370, 393
cottontail ... 216, 428
Desert ... 453, 455
Eastern ... 229–30
Coturnix coturnix coturnix ... 372
cow ... 81, 122, 278, 280, 288, 290, 311, 313–14, 316, 318, 320–21, 324–25, 328–33, 335–41, 343–69, 371, 373, 376–78, 383, 385–86, 398, 392–93, 395, 421, 445, 452, 538, 550, 570
Zebu ... 329
Cowbird, Brown-headed ... 229
Coyote ... 425, 428–29, 453
Cracticus cassicus ... 153
Crane ... 345
Crateroscelis murina ... 149, 153
Cricetidae ... 188, 265–71, 278, 428–29, 573
Cricetinae ... 268
Cricetomys gambianus ... 268
Crocidura suaveolens ... 334
crow ... 348
carrion ... 327, 364
Eastern Black Carrion ... 364
Cryptomys hottentotus ... 269
mellandi ... 268
Curlew, Stone ... 345, 373
Dacelo gaudichaud ... 153
Dactylonax palpator ... 533
Dactylopsila trivirgata ... 533–36
Dasymys incomtus ... 268
deer ... 218, 224, 232, 278, 287, 328–30, 336–37, 523–24, 537–40
Axis ... 336
Mouse ... 336
Roe ... 330
White-tailed ... 230, 429, 521, 523, 537
Dendromurinae ... 271
Deomys ferrugineus ... 270
Didelphis marsupialis ... 230
virginiana ... 496, 523
Diphyllodes magnificus ... 149, 153
Dipodomys venustus ... 453
dog ... 84–85, 214–16, 230, 278, 305, 326, 335–37, 339–40, 344, 369, 373, 538–39
donkey ... 320–21, 356, 369
dove ... 67, 69, 157, 160, 348
Rock ... 316
Drepanornis albertisii ... 153
duck ... 317, 345, 347
Mallard ... 496–97
Dulus dominicus ... 72
Dumetella carolinensis ... 227
elephant ... 287, 335, 340
Eliomys quercinus ... 268
Epimachus meyeri ... 149, 153
equine ... 253
Erinaceus albiventris ... 317, 368
europaeus ... 317–18
Erythrocebus ... 323
Eumeces fasciatus ... 224
Eutamias ... 444
minimus ... 444
sibiricus ... 269
Falco berigora ... 149
falcon ... 348, 364
Felis catus ... 230, 453
manul ... 320
rufus ... 425
finch ... 570
Flycatcher, Spotted ... 372
fox ... 62–63, 224, 336, 347, 351, 357, 361, 395, 428–29, 538

Common Red 317, 320, 352
Corsac 361
Gray 230, 425, 428, 453, 455
Red 425, 428–29
Fratercula arctica 11
frog 149, 287
Funisciurus isabella 510, 513
lemniscatus 510
Galerida cristata 327, 362
Garrulus glandarius 334
gazelle 317, 329, 338–39, 369
Genet 320, 367
Genetta genetta
senegalensis 320, 367
Geomylichus illinoensis 429
Geothlypis brachidactylus 227
gerbil 320, 339
Great 320, 338, 357, 359, 361
Greater Egyptian 339
Mongolian 265
Gerbillus pyramidum 339
Gerbillinae 266, 271
gibbon 287
giraffe 335, 340
Glaucomys volans 1–10
Gliridae 271
goat 311, 320–21, 328–30, 335–36, 338, 340, 347, 354–55, 357–58, 360–67, 369, 385, 421, 445, 498
Wild 330, 335
Golunda ellioti 268
goose 11
Gopher, Pocket 429
Graphirus microtis 268
Grouse, Mountain 370
guinea pig 261, 312, 320–23, 325, 345, 497, 550
gull 334
Halcyon megarhynchus 149
hamster 218, 287–88, 312, 322, 396, 538
golden Syrian 537
hare 316–20, 323, 330, 332–33, 335–51, 357, 361, 363, 376–77, 389, 393, 395
Cape 318
European ... 318, 325, 338, 343–44, 348, 351–54
Giant Belgian 326
Tolai 318
Harrier, Montagu 364
hedgehog 313, 316–18, 328, 330, 332–33, 335, 337–39, 351, 357, 376, 393
African 368
European 317, 334, 351
Four-toed 317
Long-eared 317–18, 325, 334, 348, 357, 362
Hemiechinus auritus 317–18, 325, 348, 357, 362
herbivore 336–40
heron 296
Heterocephalus glaber 268
Heteromyidae 573
Hirundo rustica 345
hog, wild 347
"honeyeater" 149
Hoopoe 327, 349
Hornbill, Rhinoceros 287
horse 227, 278, 280, 314, 318, 320–21, 324, 329–30, 335, 337, 339–40, 344–45, 347, 349, 351, 353–54, 361, 363, 366, 369, 383, 395, 421, 445, 498, 521, 538
ibex 328
Ifrita kowaldi 149
Iguana 523
insectivore 336–37, 339, 341, 354, 428
jackal 340
jackdaw 364
jerboa 339
Williams' 320, 365
jird 265, 335, 339, 362
Clawed 265
Libyan Red-tailed 318, 362
Persian 365
Swinhoe's 320, 365
Kestrel 348, 373
kite 348
Lagomorpha 318, 452–53, 456
Lanius collurio collurio 372
lark 353, 349
Calandra 345
Crested 327, 362
Short-toed 345
Lasiurus borealis 180
cinereus semotus 180–82
intermedius 180
Lemniscomys macculus 268
striatus 268
leopard 340
Lepus capensis 318–19, 363
europaeus 318–19, 325, 343, 348, 352, 354
sp. 335
Liomys 573
irroratus 573
lion 328, 340
lizard 224, 287, 316, 328, 330, 334, 336, 339, 341, 523, 570
Monitor 287
Western Fence 570
Lonchura sp. 149
Luscinia luscinia 372
megarhynchos megarhynchos ... 372
Lynx rufus 453
Macaca fascicularis 288
nemestrina 288
sp. 288
Magpie 317, 333, 348, 350, 352, 364, 395
mammal 52, 133, 143, 176, 216, 232, 265, 267, 269–70, 278–80, 289–90, 294, 313, 317–20, 323–24, 328–41, 348, 351, 354, 359, 361–65, 367, 370, 373–76, 393, 395, 397, 419–21, 423, 425, 428–29, 445, 453, 456–57, 494–95, 497–98, 521, 523–24, 539
man 1, 9, 29, 31, 57–58, 69, 74, 91, 122–23, 136, 138–39, 143, 176, 187, 213, 218–35, 237, 246, 249, 253, 278, 287–89, 306, 310–11, 313–15, 317, 319–21, 327, 329–30, 332–46, 349–55, 357–69, 374–89, 391–97, 445, 457, 494, 497–98, 500, 521, 546, 549–50, 571–72, 574
Manis temmincki 214
Marmosa fuscata 272
marsupial 533
phalangerid 536
marten 361
Mastomys 320, 367
Megalornis grus 345
Melanocharis versteri 153
Melanocorypha calandra 345
Melidectes belfordi 149–50
Belford's 150
Reichenow's 149
rufocrissalis 149
sp. 149
Meliliestes megarhynchus 153
Meliphaga sp. 149
vicina 154
Melipotes fumigatus 149, 153
sp. 153
Melospiza melodia 227
melodia melodia 227
Mephitis mephitis 429–30, 453
mephitis nigra 227
Meriones crassus swinhoei ... 320, 365
erythrourus 268
libycus 318
erythrourus 362
meridianus 268
persicus 268
rex buryi 335
unguiculatus 265–71
microtine 429
Microtus 434, 442, 444, 457
breweri 224, 227
californicus 442, 453, 457
enixus 232
longicaudus 434
macrurus 434
oeconomus amakensis 434
oregoni serpens 434
pennsylvanicus 230, 434, 537
pennsylvanicus 227, 232
pullatus 444
sp. 224, 434, 442
Mink 425, 428–29
mole 428
Molothrus ater 229
mongoose 336
monkey 287–89, 312, 323, 345, 396, 573–74
African green 396
cercopithecid 287
Green 323, 395
Leaf 288–89
Long-tailed 288
Patas 323
Pig-tailed 288
Rhesus 394
Silvered Leaf 288
Monticola saxatilis 372
solitaria pandoo 336
Motacilla alba 327
flava feldegg 334
mouflon 338
Asiatic 330, 335–36
mouse ... 11–12, 33, 116, 119, 254–55, 257, 304, 310, 313, 315–16, 323, 328, 345, 368, 373, 394–95, 397, 456, 550, 571–72
Broad-toothed Field 365
Brush 453, 455–56

California Pocket 453, 455–56
Common Field 319, 351–52, 354
Cotton 521, 523
Deer 453, 455
Field 227, 395
House 320, 344, 365
laboratory white .. 188, 190–91, 193, 208, 211–12, 216, 310, 312, 315, 316–18, 322–25, 327, 342, 345, 355, 368, 380, 388, 394, 396
Mexican Spiny Pocket 573
Swiss 11, 287
white 550
White-footed 218, 230, 573
Mouse-babbler, Lowland 153
mule 369
Muridae 271, 278
murine 396
Murre, Common 13
Mus 212
musculus 188, 193
bactrianus 320, 365
Muscicapa striata striata 372
muskrat 428–29
Mustela 428
frenata 428, 430
nivalis 429–30
vison 428, 430
Myiopsitta monachus 70
Mylomys dybovskii 268
Myospalacini 271
Myospalax aspalax 268
Myotis blythi omari 318, 365
Napaeozapus insignis 232
Neotoma 188, 192, 442, 444
cinerea 444
floridana 523
lepida 453, 457
Nesokia indica 268
Neurotrichus gibbsi 434
Nightingale 372
Thrush 372
Nilgai 336
Ninox jacquinoti 153
Noctule, Common 318, 365
nuthatch 370
Nyctalus noctula noctula 318, 365
Oceanodroma leuchorhoa 14
Ochotona 214
Odocoileus virginianus 230, 232, 523, 537
virginianus borealis 227
Oenanthe oenanthe oenanthe 314, 372
Oenomys hypoxanthus 268
Ondatra zibethicus zibethicus 232
Opossum .. 278, 428, 497, 523–24, 538
Virginia 230, 496, 521, 523
Oriole, Golden 372
Oriolus oriolus oriolus 372
szalayi 153
Oryctolagus cuniculus 457
palustris 496, 523
ostrich 330, 335, 340–41, 370
Otis tarda 344
Otomys sp. 268
Ovis orientalis 330, 335
orientalis punjabiensis 336
Owl, Boobook 153
Little 345, 354
Peruvian Burrowing 71
Tengmalm 344–45
Pachycephala schlegelii 149
sp. 149, 153
Pachycephalopsis poliosoma 153
Pangolin, African 214
Papio papio 323
Paradisaea raggiana 149, 153–54
Parakeet, Monk 70
Partridge 345
Rock 364
Passer domesticus 253, 345
domesticus indicus 336
montanus 327, 334, 362
Pelecanus thagus 63
Pelican 62–63
Pelomys fallax 268
Peltops montanus 153
Perdix perdix 334, 345
Perognathus californicus 453
Peromyscus 188, 192, 212, 428, 444, 457, 573
boylei 444, 453, 457
californicus 442
difficilis 444
eremicus 188
gossypinus 523
leucopus 218, 230, 232, 537, 573
fusus 227
noveboracensis 227
maniculatus 188, 193, 442, 444, 453, 457
alpinus 434
sonoriensis 444
sp. 434
truei 444
nevadensis 444
Peroryctes longicauda 24
Petrel, Leach's 14
Phalanger maculatus 533
vestitus 533
Phalanger, Spotted 533
Phalacrocorax aristotelis 72
pheasant 232, 370
Phoenicurus
phoenicurus phoenicurus 372
Phylloscopus trochilus 372
Pica pica 317, 352
pig 320, 330, 336, 338–40, 347, 349, 369, 371, 396, 421, 538
bush 340
pigeon 29, 64, 235–36, 445
Pika, Afghan 365
Mongolian 188
Pipilo erythrophthalmus
erythrophthalmus 227
Pipit, Tawny 372
Tree 370, 372
Pitohui dichrous 153
sp. 153
Podargus ocellatus 149, 154
sp. 149
Poecilodryas albonotata 153
porcupine 287, 340
Praomys jacksoni 268
natalensis 320, 367
Presbytis cristata 288
obscura 288
Procyon 428
lotor 230, 428, 430, 496, 523
lotor 227
Procyonidae 132
Pseudocheirus corinnae 533, 536
forbesi 533
Pteridophora alberti 149
Pteromys volans 269
puffin 11, 13–14
Common 11
quail 497
European 372
Japanese 495
rabbit 235, 237, 278, 280, 287, 292–94, 296, 312, 323, 325–26, 335, 345, 354, 428–29, 497–98, 514–15, 523, 550
domestic 498
Giant Belgian Laboratory 323
laboratory white 218
Marsh 292
New Zealand white 495
Raccoon 230, 278, 425, 428–29, 496–97, 521, 523–24
raccoon-dog 347
raptor 371
rat 2, 4, 235–37, 244, 287, 312, 322, 339, 456, 497
African Grass 320
cotton 50, 497, 523
Hispid Cotton 496, 521, 523
Marsh Rice 496, 521, 523
Moss-forest 21
Multimammate 320, 367
Narrow-faced Kangaroo 453
Norway 230
rice 497
Variable Spiny 21
white 495, 497
Rattus niobe 21
norvegicus 230
ruber 21
Redstart 334
Common 372
reptile 143, 278, 289–90, 316, 337, 354, 363, 374, 397, 523, 537, 539
rhinoceros 335, 339–40
Rhizomyidae 271
Rhizomys badius 268
Rhombomys opimus 338, 359, 361
opimus opimus 320
Ringtail 132–33
Robin 229
rodent ... 1, 7, 132–33, 188, 212, 216, 218, 265–71, 310, 314, 319–20, 322, 328, 331–33, 336–41, 343–44, 347–48, 351, 354, 365, 376, 392–93, 395, 428–29, 452–53, 456–57, 521–24, 533, 537, 539, 573
murid 536
muroid 278, 280
sciurid 271, 278, 280
roller 348
Rook 316–17, 319, 333, 347–51, 354, 361, 364, 370, 377–78, 393
Saiga tatarica 335
Sazicola rubetra 372
Sceloporus occidentalis 570
Sciurus carolinensis 1, 227
niger 1
seabird 11–13

sheep 11, 302, 320–22, 329–30, 335, 337, 339–40, 343–44, 346–47, 349, 353–67, 369, 373, 385–86, 394, 421, 445, 519, 538
Caracul 335
Iranian 394
Red 364
Wild 330
shrew 319, 328, 347–48
Long-tailed 232
Short-tailed 230
Shrike, Red-backed 372
Sigmodon hispidus 496, 523
hispidus hirsutus 50
skunk 429, 538
Striped 425, 428–29, 453
snake 385
Coral 287
Sorex sp. 434
Spalacidae 271
Spalax ehrenbergi 268
Sparrow 345
House 253
Indian House 336
Tree 327, 362
Spermophilopsis leptodactylus leptodactylus 319, 338, 357
Spermophilus 428
beecheyi 304, 452–53, 457
sp. 304
Spcotyto cunicularia nanodes 71
squirrel 1, 3–9, 287, 428
California Ground 304, 452–53, 455–57
flying 1–9
Fox 1
Fulvous Ground 320
Gray 1
ground 304, 319, 337–38, 344, 357, 360–61, 452–53, 456–57
Long-clawed Ground 319, 357
Southern Flying 1–10
tree 1
Starling 229, 327
stork 330, 371
Marabou 335
White 373
Streptopelia turtur 334
Sterna hirundo 334
Sturnus vulgaris 229, 327
Sus scrofa attila 335
scrofa cristatus 336
suslik 326, 361
Large-toothed 320, 361
Little 319, 325
Swallow 345
Sylvilagus auduboni 453, 457
floridanus 229–30
palustris 292
spp. 216
Tachyoryctes ruandae 268
Tamias striatus 230
Taxidea taxus 429–30, 453
tern 372
Common 334
Testudo graeca 334
horsfieldi 316, 363
Thicket-flycatcher, White-throated 153
Thomasomys laniger 272
Thrasher, Brown 229
Thrush, Blue Rock 336
Rock 372
"thrush, shrike" 149
tiger 287
toad 287
tortoise 340
Horsfield 316
Steppe 363
Toxostoma rufum 229
Tregellasia leucops 149, 153
Trichoglossus haematodus ... 149, 153
Tricholipeurus lipeuroides 429
parallelus 429
Troglodytes aedon aedon 232
Tropidurus 63
Turdus merula 334, 354
migratorius 229
migratorius 227
poliocephalus 149
turkey 345, 498
ungulate 339, 376
Upupa epops 327, 349
Uria aalge 13
Urocyon cinereoargenteus ... 230, 425, 430, 453
viper 287
vole 319, 344, 348
California 453, 455
High Mountain 314
Meadow 230
Vulpes fulva 227
vulpes 317, 320, 353, 428, 430
Vulture, Egyptian 364
Turkey 63–64
Wagtail, White 327
Warbler, Willow 372
warthog 335, 340
Waterbuck, Defassa 340
weasel 429
Least 425, 429
Long-tailed 425, 428–29
Wheatear, Common 314, 372
Whinchat 372
wolf 361
Woodchuck 428
Woodrat, Desert 453, 455
Eastern 523
wren 370
Xanthotis chrysotis 153
Xerus inaurus 268
Zapus hudsonius hudsonius 232
zebra 335, 340

JOURNAL
OF
MEDICAL ENTOMOLOGY

Volume 15
1978

Published by
Department of Entomology, Bishop Museum
Honolulu, Hawaii, USA

EDITORIAL COMMITTEE

F. J. Radovsky, *Executive Editor*
JoAnn M. Tenorio, *Editor*
G. F. Bennett
J. M. Brennan
C. M. Clifford
R. H. Dadd
M. Daniel
R. Domrow
K. C. Emerson
T. D. C. Grace
J. L. Gressitt
H. Hoogstraal
J. Kitzmiller
N. Kumada
G. C. LaBrecque
F. S. Lukoschus
W. A. Nelson
A. Spielman
R. Traub
M. G. R. Varma
R. Zeledón
Production Editor: Eileen D'Araujo
Editorial Assistants: Dorothy Hoxie, Nancy Howarth
Business Manager: W. Fitzgerald

Entomology Staff, Bishop Museum, 1978

Keith Arakaki, Candida Cardenas, Betty Cunningham, Bruce Dalton, Eileen D'Araujo, Neal L. Evenhuis, Pamela Ferguson, Glen Fukunaga, Wayne Gagné, M. Lee Goff, J. L. Gressitt, Carol Higa (Admin. Asst.), Francis Howarth, Nancy Howarth, Dorothy Hoxie, June Ibara, T. C. Maa, Deborah Manning, Hans Megens, Grace Nakahashi, Gordon M. Nishida, Richard Papp, F. J. Radovsky (Chairman), Elizabeth A. Rice, Eddie O. Rosell, G. A. Samuelson, Shirley Samuelson, W. A. Steffan, Sabina Swift, JoAnn Tenorio, Joaquin Tenorio, Grace Elaine Thompson, Grant Uchida. *Associates in Entomology, Bishop Museum: Honorary Associates:* J. Balogh (Budapest), J. W. Beardsley (Honolulu), F. A. Bianchi (Honolulu), J. M. Brennan (Honolulu), H. L. Carson (Honolulu), D. E. Hardy (Honolulu), H. Hoogstraal (Cairo), E. W. Jameson, Jr (California), N. L. H. Krauss (Honolulu), T. E. Medler (Jakarta), K. Sakimura (Honolulu), R. W. Strandtmann (Texas), J. J. H. Szent-Ivany (South Australia), R. Traub (Baltimore), K. Yasumatsu (Fukuoka), E. C. Zimmerman (Canberra). *Research Associates:* P. F. Bellinger (California), C. J. Davis (Honolulu), R. F. Forster (New Zealand), C. R. Joyce (Honolulu), N. A. Kormilev (New York), M. Maffi (Italy), E. N. Marks (Brisbane), P. F. Mattingly (London), W. C. Mitchell (Honolulu), Steven L. Montgomery (Honolulu), W. P. Mull (Hawaii), M. Nadchatram (Kuala Lumpur), J. C. E. Riotte (Honolulu), K. Sattler (London), B. Sugerman (Honolulu), J. M. Valentine (Miami). *Field Associate:* A. B. Mirza (Papua New Guinea).

Printed by
Allen Press, Inc., Lawrence, Kansas, USA
© 1978 by the Bishop Museum

CONTENTS OF VOLUME 15

ADAK, T. see Sharma et al. 15(2)
ADAMS, T. S.—The reproductive physiology of the screwworm, *Cochliomyia hominivorax* (DIPTERA: CALLIPHORIDAE). II. Effect of constant temperatures on oogenesis 484
ADAMS, T. S.—The reproductive physiology of the screwworm, *Cochliomyia hominivorax* (DIPTERA: CALLIPHORIDAE). III. Mating 488
ADAMS, T. S., G. G. HOLT & W. D. SUNDET—Physical and physiological effects on the response of female screwworms, *Cochliomyia hominivorax* (DIPTERA: CALLIPHORIDAE), to carrion odors in an olfactometer 124
ADAMS, T. S. & J. P. REINECKE—The reproductive physiology of the screwworm, *Cochliomyia hominivorax* (DIPTERA: CALLIPHORIDAE). I. Oogenesis 472
ANDERSON, JOHN F. see Magnarelli & Anderson
ARLIAN, L. G., R. L. BRANDT & R. BERNSTEIN—Occurrence of house dust mites, *Dermatophagoides* spp. (ACARI: PYROGLYPHIDAE), during the heating season 35
AULT, STEVEN K. & KATHLEEN D. ELLIOTT—Spider predation (ARANEAE: SALTICIDAE) on *Ornithodoros coriaceus* (ACARINA: ARGASIDAE), with a survey of the predators of the genus *Ornithodoros* 570
AXTELL, R. C. see Koch & Axtell 15(5–6): 494, 500
BAILEY, CHARLES L. see Eldridge & Bailey
BARRON, JOYCE L. see Rodriguez et al.
BATRA, C. P. see Sharma et al. 15(5–6)
BEATY, B. J. & K. O. KLOTER—Nonspecific immunofluorescent staining of mosquito salivary glands 571
BENNETT, GORDON F. see Taylor et al.
BERNSTEIN, R. see Arlian et al.
BIERY, TERRY L., ROBERT W. CLEGERN & WILLIAM W. HART—Two cases of phorid (DIPTERA: PHORIDAE) myiasis in Texas 122
BRADLEY, RICHARD E., SR see Hamilton & Bradley
BRANDT, R. L. see Arlian et al.
BRAVERMAN, Y. & P. E. HULLEY—The relationship between the numbers and distribution of some antennal and palpal sense organs and host preference in some *Culicoides* (DIPTERA: CERATOPOGONIDAE) from southern Africa 419
BRENNAN, JAMES M. see Goff & Brennan
BRENNAN, JAMES M. & M. LEE GOFF—A new species of *Teratothrix* (ACARI: TROMBICULIDAE) from Venezuela 272
BRIEGEL, HANS, ARDEN O. LEA & MARC J. KLOWDEN—Hemoglobinometry as a method for measuring blood meal sizes of mosquitoes (DIPTERA: CULICIDAE) 235
BROOKS, G. D. see Sharma et al. 15(5–6)
BUDWISER, P. D. see Lavoipierre et al.
CAMPOS, EDWARDO G. & HAROLD E. STARK—A revaluation of the *Hystrichopsylla occidentalis* group, with description of a new subspecies (SIPHONAPTERA: HYSTRICHOPSYLLIDAE) 431
CHANEY, ALLAN H. see Parker & Chaney
CHAPMAN, H. C. see Petersen & Chapman
CHAUDHRY, H. S. see Deepak & Chaudhry
CLEGERN, ROBERT W. see Biery et al.
CLIFFORD, CARLETON M. see Keirans et al.; see Spielman et al.
CLIFFORD, CARLETON M., HARRY HOOGSTRAAL, JAMES E. KEIRANS, ROBIN C. A. RICE & WILLIAM E. DALE—Observations on the subgenus *Argas* (IXODOIDEA: ARGASIDAE: *Argas*). 14. Identity and biological observations of *Argas* (*A.*) *cucumerinus* from Peruvian seaside cliffs and a summary of the status of the subgenus in the Neotropical Faunal Region 57
CLIFFORD, CARLETON M., JAMES E. KEIRANS, HARRY HOOGSTRAAL & PIERRE C. MOREL—Observations on the subgenus *Argas* (IXODOIDEA: ARGASIDAE: *Argas*). 15. Identity of *Argas* (*A.*) *magnus* from Ecuador and Colombia 157
COLBO, M. H., R. M. K. W. LEE, D. M. DAVIES & Y. J. YANG—Labro-cibarial sensilla and armature in adult black flies (DIPTERA: SIMULIIDAE) 166
CORWIN, MELVIN D. see Spielman et al.
CRAIG, GEORGE B., JR see Sinsko & Craig
CRANS, WAYNE J. see Feldlaufer & Crans
CROSSMAN, R. A., JR see Nayar et al.
CRYSTAL, MAXWELL M.—Diflubenzuron-induced decrease of egg hatch of screwworms (DIPTERA: CALLIPHORIDAE) 52
CRYSTAL, MAXWELL M.—Screwworm flies (DIPTERA: CALLIPHORIDAE): Influence of sex ratio on primiparous fertility of caged populations 85

CRYSTAL, MAXWELL M.—Sterilization of screwworm flies (DIPTERA: CALLIPHORIDAE) with gamma rays: Restudy after two decades 103
CUSTER, JAY W. & DANNY B. PENCE—Ectoparasites of the Ringtail, *Bassariscus astutus*, from West Texas 132
DALE, WILLIAM E. see Clifford et al. 15(1)
DAVIES, D. M. see Colbo et al.; see Lee & Davies
DEEPAK, VISHWA & H. S. CHAUDHRY—Thiourea-induced sterility in *Chrysomya megacephala* (DIPTERA: CALLIPHORIDAE) by pupal and adult treatments 459
DOWNE, A. E. R. see Young & Downe
DUGI, DAN, JR see Rodriguez et al.
EDMAN, JOHN D.—Orientation of some Florida mosquitoes (DIPTERA: CULICIDAE) toward small vertebrates and carbon dioxide in the field 292
EDMAN, JOHN D.—Host-feeding patterns of Florida mosquitoes (DIPTERA: CULICIDAE). VI. *Culex* (*Melanoconion*) 521
ELDRIDGE, BRUCE F. & CHARLES L. BAILEY—Experimental hibernation studies in *Culex pipiens* (DIPTERA: CULICIDAE): Reactivation of ovarian development and blood-feeding in prehibernating females 462
ELLIOTT, KATHLEEN D. see Ault & Elliott
ETKIND, PAUL see Piesman et al.
FEINSOD, FRED M. & ANDREW SPIELMAN—An olfactometer for measuring host-seeking behavior of female *Aedes aegypti* (DIPTERA: CULICIDAE) 282
FELDLAUFER, MARK F. & WAYNE J. CRANS—The relative attractiveness of carbon dioxide to parous and nulliparous mosquitoes 140
FELICIANGELI, M. DORA—Experimental parasitism of Triatominae eggs (HEMIPTERA: REDUVIIDAE) by the microhymenoptera *Ooencyrtus trinidadensis venatorius* (CHALCIDOIDEA: ENCYRTIDAE) and *Telenomus costalimai* (PROCTOTRUPOIDEA: SCELIONIDAE) 25
FOSTER, NEIL M. & ROBERT H. JONES—Multiplication rate of bluetongue virus in the vector *Culicoides variipennis* (DIPTERA: CERATOPOGONIDAE) infected orally 302
FURUMIZO, R. T. & A. RUDNICK—Laboratory observations on the life history of two species of the *Aedes* (*Finlaya*) *niveus* subgroup (DIPTERA: CULICIDAE) in Malaysia 573
GOFF, M. LEE—The genus *Odontacarus* (ACARI: TROMBICULIDAE) in New Guinea, with descriptions of four new species 143
GOFF, M. LEE—Two new species of *Guntheria* (*Guntheria*) (ACARI: TROMBICULIDAE) from Papua New Guinea, with key to the nine known species in the subgenus 21
GOFF, M. LEE—Two new species of intranasal chiggers from Papua New Guinea (ACARI: TROMBICULIDAE) 533
GOFF, M. LEE see Brennan & Goff
GOFF, M. LEE & JAMES M. BRENNAN—A new species of *Odontacarus* (ACARI: TROMBICULIDAE) from Venezuela with a pygosomal plate 50
GOFF, REBECCA see Whitaker & Goff
GRASELA, J. J. & L. G. PICKENS—A comparison of two methods for feeding the stable fly (DIPTERA: MUSCIDAE) 274
HAGAN, NANA K. B. see Williams & Hagan
HAMILTON, DALE R. & RICHARD E. BRADLEY, SR—Observations on the early death experienced by *Dirofilaria immitis*-infected mosquitoes (DIPTERA: CULICIDAE) 305
HART, WILLIAM W. see Biery et al.
HAYES, CURTIS G.—Vector competence of colonized *Culiseta melanura* (DIPTERA: CULICIDAE) for Western equine encephalomyelitis virus 253
HEFNAWY, TAWFIK, GALILA M. KHALIL & WAGUIH SIDRAK—Blood meal weight and heme content during development of *Ornithodoros* (*O.*) *savignyi* (IXODOIDEA: ARGASIDAE) 445
HOLT, C. G. see Adams et al. 15(2)
HOOGSTRAAL, HARRY—The epidemiology of tick-borne Crimean-Congo hemorrhagic fever in Asia, Europe, and Africa 307
HOOGSTRAAL, HARRY see Clifford et al. 15(1), 15(2); see Keirans et al.
HULLEY, P. E. see Braverman & Hulley
JEFFERY, J. see Knudsen et al.
JONES, ROBERT H. see Foster & Jones
JURONEK, DENNIS D. see Piesman et al.
KANEKO, KIYOTOSHI—Two new species of sucking lice (ANOPLURA: HOPLOPLEURIDAE) from Nigeria 510
KEIRANS, JAMES E. see Clifford et al. 15(1), 15(2)
KEIRANS, JAMES E., HARRY HOOGSTRAAL & CARLETON M. CLIFFORD—Observations on the subgenus *Argas* (IXODOIDEA: ARGASIDAE: *Argas*). 16. *Argas* (*A.*) *moreli*, new species, and keys to Neotropical species of the subgenus 246

KHALIL, GALILA M. see Hefnawy et al.
KLOTER, K. O. see Beaty & Kloter
KLOWDEN, MARC J. see Briegel et al.
KLOWDEN, MARC J. & ARDEN O. LEA—Effect of defensive host behavior on the blood meal size and feeding success of natural populations of mosquitoes (DIPTERA: CULICIDAE) 514
KNUDSEN, A. B., D. J. LEWIS, R. B. TESH, A. RUDNICK, J. JEFFERY & I. SINGH—Phlebotomine sand flies (DIPTERA: PSYCHODIDAE) from a primary hill forest in West Malaysia 286
KOCH, H. G. & R. C. AXTELL—Attraction of *Culicoides furens* and *C. hollensis* (DIPTERA: CERATOPOGONIDAE) to animal hosts in a salt marsh habitat 494
KOCH, H. G. & R. C. AXTELL—Correlation of hourly suction trap collections of *Culicoides furens* and *C. hollensis* (DIPTERA: CERATOPOGONIDAE) with wind, temperature and habitat 500
LANCIANI, CARMINE A.—Detachment of parasitic water mites from the mosquito *Anopheles crucians* (DIPTERA: CULICIDAE) 99
LANCIANI, CARMINE A.—Water mite-induced mortality in a natural population of the mosquito *Anopheles crucians* (DIPTERA: CULICIDAE) 529
LAUER, DAVID M. & DANIEL E. SONENSHINE—Bionomics of the squirrel flea, *Orchopeas howardi* (SIPHONAPTERA: CERATOPHYLLIDAE), in the laboratory and field colonies of the Southern Flying Squirrel, *Glaucomys volans*, using radiolabeling techniques 1
LAVOIPIERRE, M. M. J., F. J. RADOVSKY & P. D. BUDWISER—The feeding process of a tungid flea, *Tunga monositus* (SIPHONAPTERA: TUNGIDAE), and its relationship to the host inflammatory and repair response 187
LAWSON, M. A. see Rutledge et al. 15(3), 15(5–6)
LEA, ARDEN O. see Briegel et al.; see Klowden & Lea
LEE, R. M. K. W. see Colbo et al.
LEE, ROBERT M. K. W. & D. M. DAVIES—Feeding in the stable fly, *Stomoxys calcitrans* (DIPTERA: MUSCIDAE). I. Destination of blood, sucrose solution and water in the alimentary canal, the effects of age on feeding, and blood digestion 541
LEWIS, D. J. see Knudsen et al.
LEWIS, DAVID J. see Taylor et al.
MAGNARELLI, L. A.—Presumed *Dirofilaria immitis* infections in natural mosquito populations of Connecticut 84
MAGNARELLI, LOUIS A.—Blood-feeding and gonotrophic dissociation in *Anopheles punctipennis* (DIPTERA: CULICIDAE) prior to hibernation in Connecticut 278
MAGNARELLI, LOUIS A. & JOHN F. ANDERSON—Oviposition, fecundity, and fertility of the salt marsh deer fly, *Chrysops fuliginosus* (DIPTERA: TABANIDAE) 176
MAIN, A. J.—Tindholmur and Mykines: Two new Kemerovo group orbiviruses from the Faeroe Islands 11
MCDANIEL, B. & JOANN M. TENORIO—*Olabidocarpus americanus* (ACARI: LISTROPHOROIDEA: CHIRODISCIDAE) from the Hawaiian Hoary Bat, *Lasiurus cinereus semotus*, with description of the male 180
MCGOVERN, T. P. see Schreck et al.
MEYER, R. P. & R. K. WASHINO—Gynandromorphs of *Culiseta inornata* (DIPTERA: CULICIDAE) collected by dry ice-baited CDC miniature light traps 575
MILES, SIMON J.—A biochemical key to adult members of the *Anopheles gambiae* group of species (DIPTERA: CULICIDAE) 297
MOREL, PIERRE C. see Clifford et al. 15(2)
MOUSSA, M. A. see Rutledge et al. 15(3), 15(5–6)
NASCI, ROGER S. see Romoser & Nasci
NAVAI, SHAHIN see Wirth & Navai
NAYAR, J. K., M. W. PROVOST, D. M. SAUERMAN, JR & R. A. CROSSMAN, JR—Quantitative bionomics of *Culex nigripalpus* (DIPTERA: CULICIDAE) populations in Florida. 1. Phosphorus-32 marking techniques 239
NODA, SHINICHI see Takaoka & Noda
OCONNOR, BARRY M.—A new species of *Ctenoglyphus* (ACARI: GLYCYPHAGIDAE) from *Meriones unguiculatus* (RODENTIA: CRICETIDAE), with notes on the subfamily Ctenoglyphinae 265
PARKER, OWEN S. & ALLAN H. CHANEY—*Liomys irroratus* (RODENTIA: HETEROMYIDAE), a new host for *Cuterebra fontinella* (DIPTERA: CUTEREBRIDAE) 573
PENCE, DANNY B. see Custer & Pence
PETERSEN, J. H. & H. C. CHAPMAN—Checklist of mosquito species tested against the nematode parasite *Romanomermis culicivorax* 468
PICKENS, L. G. see Grasela & Pickens
PIESMAN, JOSEPH see Spielman et al.
PIESMAN, JOSEPH, ANDREW SPIELMAN, PAUL ETKIND, TRENTON K. RUEBUSH, II & DENNIS D. JURANEK—Role of deer in the epizootiology of *Babesia microti* in Massachusetts 537

Posey, K. see Schreck et al.
Provost, M. W. see Nayar et al.
Radovsky, F. J. see Lavoipierre et al.
Razdan, R. K. see Sharma et al. 15(2)
Rechav, Y.—Specificity in assembly pheromones of the tick *Amblyomma hebraeum* (Acarina: Ixodidae) 81
Reinecke, J. P. see Adams & Reinecke
Rice, Robin C. A. see Clifford et al. 15(1)
Rodriguez, Paul H., Joyce L. Barron & Dan Dugi, Jr—Effects of acridine orange on the productivity of male *Aedes aegypti* (Diptera: Culicidae) 32
Rodriguez, Paul H. see Thompson & Rodriguez
Romoser, William S.—Buoyancy variation and reduction in *Aedes aegypti* pupae (Diptera: Culicidae) 15
Romoser, William S. & Roger S. Nasci—Functions of the ventral air space and first abdominal spiracles in *Aedes aegypti* pupae (Diptera: Culicidae) 109
Rudnick, A. see Knudsen et al.; see Furumizo & Rudnick
Ruebush, Trenton K., II see Piesman et al.
Russo, Raymond—Substrate texture as an oviposition stimulus for *Aedes vexans* (Diptera: Culicidae) 17
Rutledge, L. C., M. A. Lawson, L. L. Young & M. A. Moussa—Rearing of *Diamanus montanus* (Siphonaptera: Ceratophyllidae) and *Hoplopsyllus anomalus* (Siphonaptera: Pulicidae) 304
Rutledge, L. C., M. A. Moussa, B. L. Zeller & M. A. Lawson—Field studies of reservoirs and vectors of sylvatic plague at Fort Hunter Liggett, California 452
Sauerman, D. M., Jr see Nayar et al.
Schreck, C. E., N. Smith, T. P. McGovern, D. Smith & K. Posey—Repellancy of selected compounds against black flies (Diptera: Simuliidae) 526
Schwarz, Meyer & R. W. Miller—Compounds related to juvenile hormone. Activity of analogues of A13-36206 against the house fly (Diptera: Muscidae) 300
Sharma, V. P., C. P. Batra & G. D. Brooks—Laboratory and field evaluation of a growth-regulating compound (TH-6040) against *Culex pipiens fatigans* (Diptera: Culicidae) 506
Sharma, V. P., Sarala K. Subbarao, T. Adak & R. K. Razdan—Integration of gamma irradiation and cytoplasmic incompatibility in *Culex pipiens fatigans* (Diptera: Culicidae) 155
Sidrak, Waguih see Hefnawy et al.
Singh, I. see Knudsen et al.
Sinsko, Michael J. & George B. Craig, Jr—Dynamics of an isolated population of *Aedes triseriatus* (Diptera: Culicidae). I. Population size 89
Smith, D. see Schreck et al.
Smith, N. see Schreck et al.
Snow, J. Wendell & C. J. Whitten—Status of the screwworm (Diptera: Calliphoridae) control program in the southwestern United States during 1977 518
Sonenshine, Daniel E. see Lauer & Sonenshine
Spencer, Margaret—Age grouping of female *Anopheles farauti* populations (Diptera: Culicidae) in Papua New Guinea 555
Spielman, Andrew, Carleton M. Clifford, Joseph Piesman & Melvin D. Corwin—Human babesiosis on Nantucket Island, USA: Description of the vector, *Ixodes* (*Ixodes*) *dammini*, n. sp. (Acarina: Ixodidae) 218
Spielman, Andrew see Feinsod & Spielman; see Piesman et al.
Stark, Harold E. see Campos & Stark
Subbarao, Sarala K. see Sharma et al. 15(2)
Sundat, W. D. see Adams et al. 15(2)
Takaoka, Hiroyuki & Shinichi Noda—Autogeny of the black fly *Simulium* (*Eusimulium*) *aureohirtum* (Diptera: Simuliidae) 183
Taylor, David M., Gordon F. Bennett & David J. Lewis—Observations on the host-seeking activity of some Culicidae in the Tantramar Marshes, New Brunswick 134
Tenorio, JoAnn M. see McDaniel & Tenorio
Tesh, R. B. see Knudsen et al.
Thompson, Patricia A. & Paul H. Rodriguez—Developmental effects of ethyl methanesulfonate and thiotepa in *Aedes aegypti* (Diptera: Culicidae) 115
Trpis, Milan—Genetics of hematophagy and autogeny in the *Aedes scutellaris* complex (Diptera: Culicidae) 73
Turner, William J.—A case of severe human allergic reaction to bites of *Symphoromyia* (Diptera: Rhagionidae) 138

WASHINO, R. K. see Meyer & Washino
WHITAKER, JOHN O., JR & REBECCA GOFF—Ectoparasites of wild Carnivora of Indiana 425
WHITTEN, C. J. see Snow & Whitten
WILLIAMS, ROGER W. & NANA K. B. HAGAN—Atypical laboratory development of the ROCK strain of *Aedes aegypti* (DIPTERA: CULICIDAE) involving long submergence for egg hatching and a short pupal period 87
WIRTH, WILLIS W. & SHAHIN NAVAI—Terminology of some antennal sensory organs of *Culicoides* biting midges (DIPTERA: CERATOPOGONIDAE) 43
YANG, Y. J. see Colbo et al.
YOUNG, A. D. M. & A. E. R. DOWNE—Quantitative assessment with radiotracers of sperm transfer by male *Aedes aegypti* (DIPTERA: CULICIDAE) 259
YOUNG, L. L. see Rutledge et al. 15(3)
ZELLER, B. L. see Rutledge et al. 15(5–6)
Book reviews 31, 184, 306, 576
Book notices 137, 299, 301
Editorial acknowledgments 577
Errata 88
Guide for Contributors 578
Notices 14, 86, 182, 186, 303, 306
Publication announcements 10, 42, 175
Review article 307
Scientific notes 84, 85, 87, 122, 132, 138, 155, 183, 300, 302, 304, 305, 570, 571, 573, 575
General index 580
Vertebrate index 587
Contents of Vol. 15 iii

PUBLICATION DATES FOR VOLUME 15

No. 1, 7 November 1978
No. 2, 8 February 1979
No. 3, 23 March 1979
No. 4, 22 May 1979
No. 5–6, 4 September 1979